

IN THE CLAIMS

Please cancel claim 39 without prejudice or disclaimer of its subject matter, and amend claims 27, 31-36, 38, 40, 41, 46, 48, 52 and 53 as follows:

1 c' 27. (Amended) A method in a cooking apparatus, comprising the steps of:
2 storing a plurality of aroma sources in said cooking apparatus;
3 B5 making a selection of a cooking menu for cooking food;
4 selecting an aroma corresponding to said food; and
5 generating said aroma from at least one aroma source selected from said plurality of aroma
6 sources.

1 c' 31. (Amended) The method of claim 30, wherein said aroma removes a food aroma
2 produced from the food cooked.

1 B6 32. (Amended) The method of claim 27, further comprising the step of diffusing said aroma
2 intermittently while said food is being cooked.

1 33. (Amended) The method of claim 27, wherein the step of generating comprises the steps
2 of selecting aroma sources from said plurality of aroma sources and mixing the selected aroma
3 sources to generate said aroma.

1 c' 34. (Amended) The method of claim 27, further comprising the steps of:
2 providing a main body having a cooking chamber and a parts chamber;
3 providing an aroma storage unit in said parts chamber;
4 providing a first passageway from said aroma storage unit to an outside of said main body;
5 and
6 releasing said aroma through said first passageway.

1 35. (Amended) The method of claim 34, further comprising the steps of:
2 providing a second passageway from said aroma storage unit to said cooking chamber; and
3 releasing said aroma through said second passageway.

1 c' 36. (Amended) A method in a cooking apparatus, comprising the steps of:
2 providing a cooking apparatus with an aroma generating unit;
3 producing a first aroma in said aroma generating unit;
4 controlling a movement of a piston disposed within said aroma generating unit, wherein said
5 piston opens one of a first nozzle and a second nozzle and closes the other; and
6 diffusing said first aroma through the opened nozzle.

1 c' 38. (Amended) The method of claim 37, said step of controlling comprising the step of
2 moving said piston to open a first nozzle and close a second nozzle coupled to said diffuser to diffuse
3 said first aroma to an inside of said cooking apparatus.

B9
1 c1 40. (Amended) The method of claim 37, said step of controlling comprising the step of
2 moving said piston to close a first nozzle and open a second nozzle coupled to said diffuser to diffuse
3 said first aroma to an outside of said cooking apparatus.

1 41.(Amended) The method of claim 36, said step of producing comprising the steps of
2 selecting a cooking menu and selecting said first aroma corresponding to the selected cooking menu.

B10
1 c1 46. (Amended) The method of claim 45, said step of diffusing said second aroma further
2 comprising the step of moving said piston to open said first nozzle and close a second nozzle.

B11
1 c1 48. (Amended) The method of claim 47, said step of diffusing said second aroma further
2 comprising the step of moving said piston to close said first nozzle and open said second nozzle.

B12
1 c1 52. (Amended) A method of providing a scent from a cooking apparatus, comprising the
2 steps of:

3 storing a plurality of scent sources in a reservoir;

4 selecting a cooking menu;

5 controlling an aroma generator according to said cooking menu to select a first aroma
6 corresponding to said cooking menu and produce said first aroma from at least one first scent source
7 among the stored plurality of scent sources; and

8 c1 diffusing said first aroma for a predetermined time.

1 B12 and 53. (Amended) The method of claim 52, said step of controlling comprising the steps of:
2 selecting at least one first scent source among the stored plurality of scent sources;
3 selecting an amount of said first scent source; and
4 transferring the selected amount of said first scent source from said reservoir to a diffuser
5 disposed in said aroma generator.
